


SENSORS & ACTUATOR FOR IRRIGATION APPLICATION - SENSORACTU100

This trainer has been designed with a view to provide practical and experimental knowledge Sensors programing for IoT based Irrigation Applications with Arduino IOT Board.



SPECIFICATIONS

1. Hardware

Following Parts and Modules are assembled on Single PCB of size - 18 Inch x 15 Inch

1. Arduino Microcontroller Board

- 1. Arduino Uno Microcontroller board based on the ATMEGA328P
- 2. 14 Digital Input / Output pins (of which 6 provide PWM output)
- 3. 16 MHz Ceramic Resonator
- 4. Flash Memory: 16KB (of which 2KB used by boot loader)
- 5. USB Port
- 6. Power Jack 9V DC, 1A

2. Sensors & Other Components

- Soil Moisture Level Sensor
- 2. Soil Moisture Temperature Sensor
- 3. Leaf Wetness Sensor
- 4. Solar Radiation Sensor SDS011 0 to 2000 mw/m2
- 5. Thermal Imager Sensor
- 6. 2 Channel Relay as Actuator
- 7. Flow sensor as Actuator
- 8. Sprinkler as Actuator

Sigma Trainers and Kits

E-113, Jai Ambe Nagar, Near Udgam School,

Thaltej,

AHMEDABAD - 380054.

INDIA.

Phone(O): +91-79-26852427 Phone(F): +91-79-26767512

Mobile : +91-9824001168

Email : sales@sigmatrainers.com

: drluhar@gmail.com

Web: www.sigmatrainers.com

Dealer:-

3. Modules and Hardware:

- 1. 20 X 4 LCD Display
- 2. ESP32 Wifi Module
- 3. 2 mm interconnection Sockets

2. Accessories

7.

USB Cable : 1 No
 Ethernet Cable : 1 No
 Micro USB to USB cable for ESP32 : 1 No

4. Power Supply Adaptor : +9V DC, 1A

5. Jumper wires : 50 Nos.

6. Pen Derive with Software, Library, Driver,

Codes, Soft Copy of Manual and Mobile App : 16 GB
Printed Practical Manual : 1 No

8. E-Books for Agriculture IOT Subject : 10 Nos. in PDF Format

9. Mp4 Video Class for IOT Subject : 40 Nos

10. Excitation accessories for each sensor Plant with Pot

3. Cabinet and PCB

The complete circuit diagram is screen printed on component side of the PCB with circuit and Parts at the same place. The PCB with components on front side is fitted in elegant wooden box having lock and key arrangement. The acrylic cover is fitted on PCB to safeguard parts. It works on 230 V AC Supply.

EXPERIMENTS

A. Theory Experiments for Arduino Board

- 1. To understand theory and working of Arduino Operating software.
- 2. To understand Pin and Connection Diagram of Arduino.
- 3. To understand USB Interface for Arduino.
- 4. To understand 20 x 4 LCD Display.

B. Theory of ESP32 and GSM Wireless Module

- 5. To understand theory and working of ESP32
- 6. To understand Operating System for ESP32
- 7. To understand Pin and Connection Diagram of ESP32
- 8. To understand USB Interface for ESP32

C. Theory Experiments for Sensors

- 9. To understand theory of Soil Moisture Sensor
- 10. To understand theory of Soil Temperature Sensor
- 11. To understand theory of Leaf Wetness Sensor
- 12. To understand theory of Solar Radiation Sensor SDS011
- 13. To understand theory of Thermal Imager Sensor
- 14. To understand theory of 2 Channel Relay as Actuator
- 15. To understand theory of Flow sensor as Actuator
- 16. To understand theory of Sprinkler as Actuator

D. Practical Experiments

- 17. To measure level of Soil Moisture using Soil Moisture Sensor
- 18. To measure Temperature of Soil Moisture using Temperature Sensor
- 19. To measure level of Wetness of a Leaf using Leaf Wetness Sensor
- 20. To measure Solar Radiation using Solar Radiation Sensor SDS011
- 21. To find temperature of Hotspots of a Land in agriculture using Thermal Imager Camera
- 22. To measure Water Flow using Water Flow Sensor
- 23. To use 2 Channel Relay to On/OFF Water Sprinkler, Water Pump etc
- 24. To provide Automatic Watering System for Plants by using Sprinklers and make them ON/OFF when water soil level is full and empty / dry

E. Server, Cloud Configuration, IOT Gateway, Nodes and Mobile App Experiments

- 25. To send Sensors data using Wifi Wireless Node to Main Base IOT Receiver
- 26. To send and display Sensors Data in a server Web Page using HTTP, Java and PHP Code
- 27. To send Sensors data to website webpage and store them into MySQL Server
- 28. To receive and show Sensors data on Android based Mobile App
- 29. To send and display Sensors Data on website Smart Dashboard on a server