

PULSE CODE DEMODULATION RECEIVER TRAINER

MODEL-COM101B

This trainer has been designed with a view to provide practical and experimental knowledge of Pulse Code Demodulation technique as practically implemented in Digital Communication systems on a SINGLE P.C.B.



SPECIFICATIONS

1. Power supply requirement : 230V AC, 50 Hz.

2. On Board Sampling Pulse signal generator.

Frequency Range - Fast Mode : 1.2 Mhz

3. Synchronisation circuit for Sampling generator with sync pulses.

4. PCM Bit : 3 or 4 bit selectable by switch.

5. Demodulator Sections : Low pass filter

6. All parts are soldered on single pin TAGS on single PCB of size 12" x 9" with complete circuit diagram Screen-printed in multi colour.

7. Standard Accessories : 1. A Training Manual.

2. Connecting Patch cords

In keeping view of SIGMA policy of continuous development and improvement, the Specifications may be changed without prior notice or obligation.

Sigma Trainers and Kits E-113, Jai Ambe Nagar,

Near Udgam School,

Thaltej,

AHMEDABAD - 380054.

INDIA.

Phone(0): +91-79-26852427/ 26850829

Phone(F): +91-79-26767512/ 26767648 Fax : +91-79-26840290/ 26840290

Mobile : +91-9824001168

Email: sales@sigmatrainers.com

: sigmatrainers@sify.com

Dealer:-

Web: www.sigmatrainers.com