

CHARACTERISTICS OF SEVEN SEGMENT DISPLAY

MODEL - OPTO7

This trainer has been designed with a view to provide practical and experimental knowledge of Seven segment display.



SPECIFICATIONS

- 1. Power supply requirement : 230V AC, 50 Hz.
- 2. Built in IC based regulated Power supply+5V DC/200mA.
- Following parts provided on Single PCB with connecting terminals.
 BCD to Seven Segment Decoder IC- IC 7447 1 No.
- 4. Digital input data Switches : 10 Nos provided.
- 5. All parts are soldered on single PCB of size 8" x 7" with complete circuit diagram screen-printed.

:

- 6. Standard Accessories
- 1. A Training Manual.
- 2. Connecting Patch cords

In keeping view of SIGMA policy of continuous development and improvement, the Specifications may be changed without prior notice or obligation.

Sigma Trainers and Kits	Phone(O): +91-79-26852427/ 26850829
E-113, Jai Ambe Nagar,	Phone(F): +91-79-26767512/ 26767648
Near Udgam School,	Fax : +91-79-26840290/ 26840290
Thaltej,	Mobile : +91-9824001168
AHMEDABAD - 380054.	Email : sales@sigmatrainers.com
INDIA.	: sigmatrainers@sify.com
INDIA.	Web : www.sigmatrainers.com