


This trainer has been designed with a view to provide practical and experimental knowledge of BCD to Express-3 converter.



## **FEATURES**

- 1. All components are soldered on hollow tags of 0.25" diameter height of 0.4" on the front side of PCB
- 2. The complete circuit diagram is screen printed on component side of the PCB with circuit and parts at the same place.
- 3. The true value of component is printed on component side.
- 4. The PCB with components on front side is fitted in elegant wooden box having lock and key arrangement
- 5. The acrylic cover is fitted on PCB to safeguard parts. It has holes for alignment and repair.
- 6. The testing points are provided with 1.25" tags to connect CRO probe
- 7. All Trainers are operated on 230V AC mains and must be self-contained unit.

## SPECIFICATIONS

- 1. Power supply requirement : 230V AC, 50 Hz.
- 2. Built in IC based regulated Power supply 0-5 V DC/200 mA.
- Following parts provided on Single PCB with connecting terminals.
  BCD to Express-3 converter 1 No.
- 4. Seven segment output Indicator
- : 1 No.
- Digital input data Switches : 4 No
- 6. Standard Accessories

5.

- : 4 Nos provided.
- : 1.User Manual with practical and circuit diagrams.

In keeping view of SIGMA policy of continuous development and improvement, the Specifications may be changed without prior notice or obligation.

<b>Sigma Trainers</b> E-103, Jai Ambe Nagar, Near Udgam School, Thaltej, AHMEDABAD - 380054.	Fax ISDN	: 079-26852427 / 26767512 : 079-26840290 / 26759661 : 079-26859162 / 26853758 : sales@sigmatrainers.com : sigmatrainers@sify.com : www.sigmatrainers.com	Dealer:-
---	-------------	---	----------