




# FREQUENCY SHIFT KEYING MODULATION/ DEMODULATION TRAINER

MODEL - COM115M

This trainer has been designed with a view to provide practical/experimental knowledge of FSK Modulation /Demodulation technique as practically implemented in Digital Communication systems on a SINGLE PCB.



## SPECIFICATIONS

1. Power supply requirement : 230V AC, 50 Hz.
2. Built in IC based power supply.
3. On Board Modulating Digital Data signal generator to generate any binary input word with Bit clock & Word clock.  
Word Length : 8 Bits.  
Word Clock Frequency : 10 KHz  
Data Format : NRZ
4. FSK frequencies : 640KHz for 1 level  
320KHz for 0 level
5. Modulator Type : Using Two ASK
6. Demodulator Type : PLL
7. All parts are soldered on single PCB of size 12" x9" with complete circuit diagram Screen-printed.
8. Standard Accessories : 1. A Training Manual.  
2. Connecting Patch cords.

## EXPERIMENTS

1. To study theory of FSK Modulation & Demodulation.
2. To generate FSK signal using ASK.
3. To demodulate using PLL FM detector.
4. To observe FSK modulated output for different input binary codes.

**Sigma Trainers and Kits**  
E-113, Jai Ambe Nagar,  
Near Udgam School,  
Thaltej,  
**AHMEDABAD - 380054.**  
**INDIA.**

**Phone(O): +91-79-26852427/ 26850829**  
**Phone(F): +91-79-26767512/ 26767648**  
**Fax : +91-79-26840290/ 26840290**  
**Mobile : +91-9824001168**  
**Email : sales@sigmatrainers.com**  
**: sigmatrainers@sify.com**  
**Web : www.sigmatrainers.com**

**Dealer:-**